

Old World Monkey Chunks

Expanded

SUITABLE SPECIES AND APPLICATIONS

The maintenance of large old world primates.

BENEFITS

- Banana flavour ensures good palatability.
- Large, curved expanded pellets allow easy handling for the animal.
- High oil content to maintain skin and coat condition.
- Fortified with 400mg/kg of Ascorbyl Polyphosphate, a stable and readily available form of Vitamin C.
- The low nutrient density avoids the diarrhoea problems which may be associated with the feeding of old world primates on diets not specifically formulated to their requirements.

FEEDING GUIDE

Although this is a complete diet, it may be supplemented with small amounts of fresh fruit to supply variety and to avoid boredom.

Feed to condition at all times, but as a rough guide 25g of diet per kg body weight should be fed.

AVAILABLE AS

Diet	Form	Product Code
<i>Standard</i>		
OWM (E) (Ch)	Expanded Chunks Banana	808003

- All Standard diets are available with full analysis on request.

INGREDIENTS

Wheat, Wheatfeed, De-hulled Extracted Toasted Soya, Maize, Soya Oil, Whey Powder, Macro Minerals, Yeast, Banana Flavour, Vitamins, Micro Minerals, Amino Acids.



Calculated Analysis

NUTRIENTS		Total	Supp (9)
Proximate Analysis			
Moisture (1)	%	10.00	
Crude Oil	%	5.86	
Crude Protein	%	16.54	
Crude Fibre	%	4.22	
Ash	%	5.43	
Nitrogen Free Extract	%	57.52	
Digestibility Co-Efficients (7)			
Digestible Crude Oil	%	5.30	
Digestible Crude Protein	%	14.67	
Carbohydrates, Fibre and Non Starch Polysaccharides (NSP)			
Total Dietary Fibre	%	16.63	
Pectin	%	1.49	
Hemicellulose	%	10.21	
Cellulose	%	3.95	
Lignin	%	1.71	
Starch	%	38.81	
Sugar	%	5.63	
Energy (5)			
Gross Energy	MJ/kg	15.55	
Digestible Energy (15)	MJ/kg	12.75	
Metabolisable Energy (15)	MJ/kg	11.66	
Atwater Fuel Energy (AFE) (8)	MJ/kg	14.59	
AFE from Oil	%	15.11	
AFE from Protein	%	18.96	
AFE from Carbohydrate	%	65.93	
Fatty Acids			
Saturated Fatty Acids			
C12:0 Lauric	%	0.07	
C14:0 Myristic	%	0.25	
C16:0 Palmitic	%	0.53	
C18:0 Stearic	%	0.15	
Monounsaturated Fatty Acids			
C14:1 Myristoleic	%	0.01	
C16:1 Palmitleic	%	0.08	
C18:1 Oleic	%	1.41	
Polyunsaturated Fatty Acids			
C18:2(ω6) Linoleic	%	1.86	
C18:3(ω3) Linolenic	%	0.27	
C20:4(ω6) Arachidonic	%	0.14	
C22:5(ω3) Clupanodonic	%		
Amino Acids			
Arginine	%	1.10	
Lysine (6)	%	0.81	0.05
Methionine	%	0.23	0.03
Cystine	%	0.25	
Tryptophan	%	0.20	
Histidine	%	0.43	
Threonine	%	0.60	
Isoleucine	%	0.66	
Leucine	%	1.22	
Phenylalanine	%	0.77	
Valine	%	0.79	
Tyrosine	%	0.59	
Taurine	%		
Glycine	%	1.25	
Aspartic Acid	%	0.82	

NUTRIENTS		Total	Supp (9)
Glutamic Acid	%	3.55	
Proline	%	1.24	
Serine	%	0.68	
Hydroxyproline	%		
Hydroxylysine	%		
Alanine	%	0.18	
Macro Minerals			
Calcium	%	0.55	0.43
Total Phosphorus	%	0.56	0.04
Phytate Phosphorus	%	0.25	
Available Phosphorus	%	0.31	0.04
Sodium	%	0.30	0.22
Chloride	%	0.31	0.27
Potassium	%	0.72	
Magnesium	%	0.28	0.03
Micro Minerals			
Iron	mg/kg	259.23	186.00
Copper	mg/kg	16.46	5.35
Manganese	mg/kg	90.60	34.72
Zinc	mg/kg	60.48	17.28
Cobalt	µg/kg	936.99	840.00
Iodine	µg/kg	1877.83	1612.00
Selenium	µg/kg	201.06	
Fluorine	mg/kg	7.58	
Vitamins			
β-Carotene (2)	mg/kg	0.43	
Retinol (2)	µg/kg	5075.25	4740.00
Vitamin A (2)	iu/kg	16912.88	15800.00
Cholecalciferol (3)	µg/kg	40.03	39.00
Vitamin D (3)	iu/kg	1601.07	1560.00
α-Tocopherol (4)	mg/kg	78.95	54.55
Vitamin E (4)	iu/kg	86.85	60.00
Vitamin B ₁ (Thiamine)	mg/kg	23.68	15.29
Vitamin B ₂ (Riboflavin)	mg/kg	13.46	11.37
Vitamin B ₆ (Pyridoxine)	mg/kg	11.88	7.64
Vitamin B ₁₂ (Cyanocobalamine)	µg/kg	24.86	23.40
Vitamin C (Ascorbic Acid) (16)	mg/kg	409.89	400.00
Vitamin K (Menadione)	mg/kg	2.37	1.92
Folic Acid (Vitamin B ₉)	mg/kg	7.84	6.08
Nicotinic Acid (Vitamin PP) (6)	mg/kg	84.19	22.93
Pantothenic Acid (Vitamin B _{3/5})	mg/kg	32.81	16.00
Choline (Vitamin B _{4/7})	mg/kg	1295.50	481.28
Inositol	mg/kg	2050.34	
Biotin (Vitamin H) (6)	µg/kg	396.58	80.00

Notes

- All values are calculated using a moisture basis of 10%. Typical moisture levels will range between 9.5 - 11.5%.
- a. Vitamin A includes Retinol and the Retinol equivalents of β-carotene
b. Retinol includes the Retinol equivalents of β-Carotene.
c. 0.48 µg Retinol = 1 µg β-carotene = 1.6 iu Vitamin A activity
d. 1 µg Retinol = 3.33* iu Vitamin A activity
e. 1 iu Vitamin A = 0.3 µg Retinol = 0.6 µg β-carotene
f. The standard analysis for Vitamin A does not detect β-carotene
- 1 µg Cholecalciferol (D₃) = 40.0 iu Vitamin D
- 1 mg all-*rac*-α-tocopherol = 1.1 iu Vitamin E activity
1 mg all-*rac*-α-tocopherol acetate = 1.0 iu Vitamin E activity
- 1 MJ = 239.23 Kcalories = 239.23 Calories = 239,230 calories
- These nutrients coming from natural raw materials such as cereals may have low availabilities due to the interactions with other compounds.
- Based on in-vitro digestibility analysis.
- AF Energy = Atwater Fuel Energy = ((CO%/100)*9000)+((CP%/100)*4000)+((NFE%/100)*4000)/239.23
- Supplemented nutrients from manufactured and mined sources.
- Calculated.
- Supplemented Vit. C as Ascorbyl Polyphosphate.